Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	0	"6584444".pn. and wireless	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/26 10:43
L2	461	laptop near3 wireless and @ad<"20010227"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/26 10:43
L3	15	l2 and ("713"/$.ccls. or "380"/$.ccls. or "726"/$.ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/26 10:44
L4	1	"5880769".pn. and wireless	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/26 10:58
S1	0	session adj key with (laptop or portable adj (terminal or comput$3)) and encrypt$3 near5 session with (laptop or portable) and decrypt$3 near5 session with compar$3 and @ad<"20010227"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/25 08:16
S2	2	session adj key with (laptop or portable adj (terminal or comput$3)) and encrypt$3 near5 session with (laptop or portable) and decrypt$3 with compar$3 and @ad<"20010227"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/20 13:33
S3	2	session adj key with (laptop or portable adj (terminal or comput$3)) and encrypt$3 near5 session and decrypt$3 with compar$3 and @ad<"20010227"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/20 13:33
S4	4	session adj key with (laptop or portable adj (terminal or comput$3)) and encrypt$3 near5 session and (compar$3 or match$3) and @ad<"20010227"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/20 13:35

S5	26	(laptop or portable adj (terminal or comput$3)) with encrypt$3 and (compar$3 or match$3) with decrypt$3 and @ad<"20010227"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/20 13:36
S6	24	S5 not S4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/20 15:18
S7	373	ic adj card same lcd and @ad<"20010227"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/20 15:21
S8	1	ic adj card same lcd and @ad<"20010227" and challenge	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/20 15:21
S9	78	irregular$2 near3 letter$2 and @ad<"20010227"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/25 08:17
S10	3	irregular$2 near3 letter$2 with input$3 and @ad<"20010227"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/25 08:17
S11	7038	(send$3 or transmit$4) near2 key and (compar$4 or match$3) and @ad<"20010227"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/25 08:18
S12	1184	(send$3 or transmit$4) near2 key and (compar$4 or match$3) with (encrypt$3 or decrypt$3) and @ad<"20010227"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/25 08:20

S13	26	(send$3 or transmit$4) near2 key same (laptop or portable) and (compar$4 or match$3) with (encrypt$3 or decrypt$3) and @ad<"20010227"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/25 08:22
S14	9	(send$3 or transmit$4) near2 key same (laptop or portable) and (compar$4 or match$3) with (encrypt$3 or decrypt$3) same (authenticat$3) and @ad<"20010227"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/25 08:24
S15	3	(send$3 or transmit$4) near2 key same (laptop or portable) and input$3 with encrypt$3 and (compar$4 or match$3) with (encrypt$3 or decrypt$3) same (authenticat$3) and @ad<"20010227"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/25 08:29
S16	5	(send$3 or transmit$4) near2 key same (laptop or portable or mobile) and input$3 with encrypt$3 and (compar$4 or match$3) with (encrypt$3 or decrypt$3) same (authenticat$3) and @ad<"20010227"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/25 08:30
S17	111	(send$3 or transmit$4) near2 key and input$3 with encrypt$3 and (compar$4 or match$3) with (encrypt$3 or decrypt$3) same (authenticat$3) and @ad<"20010227"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/25 08:30
S18	131	(send$3 or transmit$4 or receiv$3) near2 key and input$3 with encrypt$3 and (compar$4 or match$3) with (encrypt$3 or decrypt$3) same (authenticat$3) and @ad<"20010227"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/25 08:30
S19	170	(send$3 or transmit$4 or receiv$3) near2 key and (input$3 or enter$3) with encrypt$3 and (compar$4 or match$3) with (encrypt$3 or decrypt$3) same (authenticat$3) and @ad<"20010227"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/25 16:30
S20	106	(send$3 or transmit$4 or receiv$3) near2 key and (input$3 or enter$3) with encrypt$3 and (compar$4 or match$3) with (encrypt$3 or decrypt$3) with (authenticat$3) and @ad<"20010227"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/25 10:31

S21	21	encrypt$3 near2 (pin or password) with receiv$2 near2 key and @ad<"20010227"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/25 11:23
S22	1	"6584444".pn. and (laptop or portable or mobile)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/25 10:44
S23	47	irregular$2 near3 letters and @ad<"20010227"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/25 11:24
S24	0	irregular$2 near3 letters same authenticat$3 and @ad<"20010227"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/25 11:24
S25	3	irregular$2 near3 letters and authenticat$3 and @ad<"20010227"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/25 11:28
S26	2	irregular$2 with letters same authenticat$3 and @ad<"20010227"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/25 11:29
S27	7	display$3 with letters same authenticat$3 and @ad<"20010227"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/25 12:01
S28	9057	(display$3 or presented) with letters and @ad<"20010227"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/25 12:02

S29	1427	(display$3 or presented) near3 letters same (enter$3 or input$4 or select$3) and @ad<"20010227"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/25 12:05
S30	11	(display$3 or presented) near3 letters with (distort$3 or irregular$2 or varie$3 or odd$3) same (enter$3 or input$4 or select$3) and @ad<"20010227"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/25 12:05
S31	11	(display$3 or presented) near3 letters with (distort$3 or irregular$2 or varie$3 or odd$3) same (enter$3 or input$4 or select$3 or choos$3) and @ad<"20010227"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/25 12:08
S32	45	(display$3 or presented) near3 letters with (distort$3 or irregular$2 or varie$3 or odd$3) and @ad<"20010227" not S31	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/25 12:09
S33	0	(display$3 or presented) near3 (distort$3 or irregular$2 or varie$3 or odd$3) and @ad<"20010227" same authenticat$3 not S31	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/25 12:10
S34	18	(display$3 or presented) near3 (distort$3 or irregular$2 or varie$3 or odd$3) same authenticat$3 and @ad<"20010227" not S31	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/25 12:10
S35	9	(display$3 or presented) near3 (distort$3 or irregular$2 or odd$3 or erroneous$2) same authenticat$3 and @ad<"20010227" not S31	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/25 12:12
S36	0	(distort$3 or irregular$2 or odd$3 or erroneous$2) near3 letter$2 same authenticat$3 and @ad<"20010227" not S31	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/25 12:13

S37	378	(distort$3 or irregular$2 or odd$3 or erroneous$2) near3 letter$2 and @ad<"20010227" not S31	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/25 12:14
S38	0	(distort$3 or irregular$2 or odd$3 or erroneous$2) near3 letter$2 and @ad<"20010227" not S31 and ("713"/$.ccls. or "380"/$.ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/25 12:13
S39	74	(distort$3 or irregular$2 or odd$3 or erroneous$2) near3 letter$2 same (enter$3 or input$4 or select$3) and @ad<"20010227" not S31	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/25 12:14
S40	44	(distort$3 or irregular$2 or odd$3 or erroneous$2) near3 letter$2 with (enter$3 or input$4 or select$3) and @ad<"20010227" not S31	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/25 12:35
S41	2	"6195698".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/25 14:20
S42	0	"6584444".pn. and generat$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/25 14:31
S43	1	"20020129250".pn. and generat$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/25 15:59
S44	2	"6584444".pn. and key	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/25 14:48

S45	1776	key with random$3 near2 generat$3 near number and @ad<"20010227"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/25 14:48
S46	56	key with randomly adj generated adj number and @ad<"20010227"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/25 14:49
S47	17	key near3 randomly adj generated adj number and @ad<"20010227" and ("713"/$.ccls. or "380"/$.ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/25 14:49
S48	1	"20020129250".pn. and key same letter$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/25 15:57
S49	1	"20020129250".pn. and generat$3 with key	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/25 16:15
S50	0	vpn near2 (provider or operator) near3 issue$2 and @ad<"20010227"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/25 16:16
S51	2529	(provider or operator) near3 issue$2 and @ad<"20010227"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/25 16:16
S52	62	(provider or operator) near3 issue$2 near2 (laptop or computer or portable) and @ad<"20010227"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/25 16:21

S54	98	user adj ID near3 owner and @ad<"20010227"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/25 16:30
S55	4	user adj ID near3 owner with (authenticat$3 or determin$3) and @ad<"20010227"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/25 17:14
S57	1646	(smartcard or card) with lcd and @ad<"20010227"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/26 08:31
S58	315	(smartcard or (smart or ic) adj card) with lcd and @ad<"20010227"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/26 08:50
S59	6	("4954985".pn. "5777903".pn. "5530038".pn.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/26 08:35
S60	0	(smartcard or (smart or ic) adj card) with lcd and (smartcard or card) with issu$3 with provider and @ad<"20010227"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/26 08:51
S61	79	(smartcard or (smart or ic) adj card) with lcd and (smartcard or card) with (obtain$3 or given or issu$3) and @ad<"20010227"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/26 08:52
S62	46	(smartcard or (smart or ic) adj card) with lcd and (smartcard or card) with (issu$3) and @ad<"20010227"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/26 09:35

S63	2	"5974143".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/26 08:59
S64	0	S58 and captcha$2 and @ad<"20010227"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/26 09:42
S65	15	eras$3 near2 RAM near3 (time or interval) and @ad<"20010227"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/26 09:44
S66	4	eras$3 near2 RAM near3 predetermined and @ad<"20010227"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/26 09:45
S67	0	eras$3 near2 RAM near3 interval and @ad<"20010227"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/26 09:46
S68	0	eras$3 near2 RAM with every near2 (second$2 or day$2 or minut$3 or hour$3) and @ad<"20010227"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/26 09:46
S69	830	eras$3 near2 RAM and @ad<"20010227"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/26 10:00
S70	38	eras$3 near2 RAM same (preset or predetermined or every) near2 time and @ad<"20010227"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/26 10:00

S71	17	eras$3 near2 RAM with (preset or predetermined or every) near2 time and @ad<"20010227"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/26 10:01
S72	8	eras$3 near2 RAM with (preset or predetermined or every) near2 (period or interval) near2 time and @ad<"20010227"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/26 10:01
S73	9	eras$3 near2 RAM with (preset or predetermined or every) near2 (period or interval) and @ad<"20010227"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/26 10:08
S74	0	eras$3 near2 RAM near2 periodically and @ad<"20010227"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/26 10:08
S75	3	eras$3 near2 RAM with periodically and @ad<"20010227"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/26 10:11
S76	1	eras$3 near2 RAM with periodic$2 and @ad<"20010227"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/26 10:11
S77	2	"5880769".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/26 14:21